



**LED RETROFIT DOWNLIGHT SYSTEM
HUNDREDS OF COLORS & TRIMS**

ELEVA™
LED MAGNETIC DOWNLIGHT RETROFIT SYSTEM

LIGHTING 
for tomorrow
LED Retrofit Kit Winner

**INTRODUCING THE
ELEVA LED MAGNETIC
DOWNLIGHT SYSTEM**

1,800 COLOR & TRIM OPTIONS

4 Parts = Hundreds of Possibilities



**LEDs OFFER ENERGY
EFFICIENCY & WITH AVERAGE
LIFE OF 25,00 HOURS!**

01 HOUSING



02 LIGHT ENGINE



4 PARTS = HUNDREDS OF POSSIBILITIES

01 HOUSING



02 LIGHT ENGINE



03 REFLECTOR



04 TRIM



Neodymium magnets make it possible to swap in different light engine, reflectors, and Trim elements — no tools are required. For more info call us at: 410-276-7617

**SEE MORE RECESSED & SURFACE RETROFIT KITS
ON FOLLOWING PAGES** ▽▽▽▽▽▽▽▽▽▽▽▽▽▽▽



LED Recessed & Surface Lighting Retrofit Kits

Aluminum Housing/Trim – Paintable
Simple Screw-In installation

LED Recessed Lighting Retrofit Kits

- Dimmable to 10%
- 4", 5 & 6"
- 3 Color temperatures
- 90+ CRI
- 650-1100 Lumens

72600 Series
 4, 5 & 6" downlights
 10.5W = 650 lumens
 14.5W = 1100/1200 lumens
 90 CCFRI
 3000K/4000K /5000K
 Smooth or Baffle
 Simple screw-in installation



HIGHLIGHT:

LED Surface Mount Lighting Retrofit Kits

- Dimmable to 10%
- 3 Color temperatures
- 90+ CRI
- 1100 Lumens

72612, 72613, 72614
 6" recessed downlight
 14.5W, 1100 lumens
 90+ CRI
 3000K/4000K/5000K
 Simple screw-in installation
 or hardwire to J-box



3000K / 4000K / 5000K

5 Year Warranty

***Wet Location Rated**
50,000 Hour LED
Life Expectancy



E. B. LIGHTING & SUPPLIES, INC.

1107 East Baltimore St., Baltimore MD 21202

410-276-7617

fax: 410-276-7307

Recessed Lighting Retrofit Kit—LED Series




- LED Retrofit Kits for Recessed Downlighting
- Can be installed in most 4", 5" & 6" Downlights
- Aluminum Housing Trim—Paintable
- Simple Screw-In Installation
- In-Line Pluggable Disconnect Included
- Guaranteed Single Bin Color Consistency with enhanced illumination uniformly
- Dimmable Down to 10%
- Compatible with most household dimmers
- Input Voltage: 120VAC
- Operating Temperature 32 F to 140 F
- 50,000—Hour LED Life Expectancy

All Dimensions
Subject to change

Cat No.	Style	Size	Color Temperature	Watts	Delivered Lumens	CRI	Replaces Incandescent	Case Qty
Smooth Style								
72804	Smooth	4"	3000K	10.5	650	90	65W	40
72805	Smooth	4"	4000K	10.5	650	90	65W	40
72802	Smooth	5" & 6"	3000K	14.5	1100	90	75W	30
72803	Smooth	5" & 6"	4000K	14.5	1100	90	75W	30
72801	Smooth	5" & 6"	5000K	14.5	1200	80	75W	30
Baffle Style (Grooves)								
72807	Baffle	4"	3000K	10.5	650	90	65W	40
72808	Baffle	4"	4000K	10.5	650	90	65W	40
72809	Baffle	5" & 6"	3000K	14.5	1100	90	75W	30
72810	Baffle	5" & 6"	4000K	14.5	1100	90	75W	30
72811	Baffle	5" & 6"	5000K	14.5	1200	80	75W	30

Surface Mount Lighting Retrofit Kit—LED Series



- Surface Mount
- Perfect for Residential & Commercial
- Driverless—AC Direct Wired
- Can install in 4" J-Box & most 5" & 6" Downlights
- Hardwire to J-Box OR Screw-in to recessed Can
- Torsion Spring & Brackets for Can Mounting
- Aluminum Housing/Trim—Paintable
- In-line Pluggable Disconnect Included
- Guaranteed Single Bin Color Consistency with enhanced illumination uniformity
- Input Voltage: 120VAC
- Operating Temperature: 32F to 140F
- 50,000—Hour LED Life Expectancy



Cat. No.	Size	Color Temperature	Watts	Delivered Lumens	CRI	Replaces Incandescent	Case Qty
72812	6"	3000K	14.5	1100	90+	75W	30
72813	6"	4000K	14.5	1100	90+	75W	30
72814	6"	5000K	14.5	1100	90+	75W	30



LED & FLUORESCENT LIGHTING

E.B. LIGHTING & SUPPLIES, INC.
 1107 East Baltimore Street
 Baltimore 410-276-7617 MD 21202
 410-278-7617 fax: 410-276-7307

www.eblights.com eb@eblights.com